

L^AT_EX 2_ε Cheat Sheet

Document classes

`book` Default is two-sided.
`report` No `\part` divisions.
`article` No `\part` or `\chapter` divisions.
`letter` Letter (?).
`slides` Large sans-serif font.

Used at the very beginning of a document:

`\documentclass{class}`. Use `\begin{document}` to start contents and `\end{document}` to end the document.

Common documentclass options

`10pt/11pt/12pt` Font size.
`letterpaper/a4paper` Paper size.
`twocolumn` Use two columns.
`twoside` Set margins for two-sided.
`landscape` Landscape orientation. Must use `dvips -t landscape`.
`draft` Double-space lines.
Usage: `\documentclass[opt,opt]{class}`.

Packages

`fullpage` Use 1 inch margins.
`anysize` Set margins: `\marginwidth{r}{t}{b}`.
`multicol` Use n columns: `\begin{multicols}{n}`.
`latexsym` Use L^AT_EX symbol font.
`graphicx` Show image: `\includegraphics[width= x]{file}`.
`url` Insert URL: `\url{http://...}`.
Use before `\begin{document}`. Usage: `\usepackage{package}`

Title

`\author{text}` Author of document.
`\title{text}` Title of document.
`\date{text}` Date.
These commands go before `\begin{document}`. The declaration `\maketitle` goes at the top of the document.

Miscellaneous

`\pagestyle{empty}` Empty header, footer and no page numbers.

Document structure

`\part{title}` `\subsubsection{title}`
`\chapter{title}` `\paragraph{title}`
`\section{title}` `\subparagraph{title}`
`\subsection{title}`

Section commands can be followed with an `*`, like `\section*{title}`, to suppress heading numbers.
`\setcounter{secnumdepth}{ x }` suppresses heading numbers of depth $> x$, where `chapter` has depth 0.

Text environments

`\begin{comment}` Comment block (not printed).
`\begin{quote}` Indented quotation block.
`\begin{quotation}` Like `quote` with indented paragraphs.
`\begin{verse}` Quotation block for verse.

Lists

`\begin{enumerate}` Numbered list.
`\begin{itemize}` Bulleted list.
`\begin{description}` Description list.
`\item text` Add an item.
`\item[x] text` Use x instead of normal bullet or number. Required for descriptions.

References

`\label{marker}` Set a marker for cross-reference, often of the form `\label{sec:item}`.
`\ref{marker}` Give section/body number of marker.
`\pageref{marker}` Give page number of marker.
`\footnote{text}` Print footnote at bottom of page.

Floating bodies

`\begin{table}[place]` Add numbered table.
`\begin{figure}[place]` Add numbered figure.
`\begin{equation}[place]` Add numbered equation.
`\caption{text}` Caption for the body.

The *place* is a list valid placements for the body. `t=`top, `h=`here, `b=`bottom, `p=`separate page, `!`=place even if ugly. Captions and label markers should be within the environment.

Text properties

Font face

Command	Declaration	Effect
<code>\textrm{text}</code>	<code>\rmfamily text</code>	Roman family
<code>\textsf{text}</code>	<code>\sffamily text</code>	Sans serif family
<code>\texttt{text}</code>	<code>\ttfamily text</code>	Typewriter family
<code>\textmd{text}</code>	<code>\mdseries text</code>	Medium series
<code>\textbf{text}</code>	<code>\bfseries text</code>	Bold series
<code>\textup{text}</code>	<code>\upshape text</code>	Upright shape
<code>\textit{text}</code>	<code>\itshape text</code>	Italic shape
<code>\textsl{text}</code>	<code>\slshape text</code>	Slanted shape
<code>\textsc{text}</code>	<code>\scshape text</code>	SMALL CAPS SHAPE
<code>\emph{text}</code>	<code>\em text</code>	Emphasized
<code>\textnormal{text}</code>	<code>\normalfont text</code>	Document font
<code>\underline{text}</code>		<u>Underline</u>

The command (`ttt`) form handles spacing better than the declaration (`ttt`) form.

Font size

<code>\tiny</code>	<small>tiny</small>	<code>\Large</code>	Large
<code>\scriptsize</code>	<small>scriptsize</small>	<code>\LARGE</code>	LARGE
<code>\footnotesize</code>	<small>footnotesize</small>	<code>\huge</code>	huge
<code>\small</code>	<small>small</small>	<code>\Huge</code>	Huge
<code>\normalsize</code>	<small>normalsize</small>		
<code>\large</code>	<small>large</small>		

These are declarations and should be used in the form `{\small ...}`, or without braces to affect the entire document.

Verbatim text

`\begin{verbatim}` Verbatim environment.
`\begin{verbatim*}` Spaces are shown as `␣`.
`\verb!text!` Text between the delimiting characters (in this case '!') is verbatim.

Justification

Environment	Declaration
<code>\begin{center}</code>	<code>\centering</code>
<code>\begin{flushleft}</code>	<code>\raggedright</code>
<code>\begin{flushright}</code>	<code>\raggedleft</code>

Miscellaneous

`\linespread{ x }` changes the line spacing by the multiplier x .

Text-mode symbols

Symbols

<code>&</code>	<code>\&</code>	<code>-</code>	<code>_</code>	<code>...</code>	<code>\ldots</code>	<code>•</code>	<code>\textbullet</code>
<code>\$</code>	<code>\\$</code>	<code>^</code>	<code>\^</code>	<code> </code>	<code>\textbar</code>	<code>\</code>	<code>\textbackslash</code>
<code>%</code>	<code>\%</code>	<code>~</code>	<code>\~</code>	<code>#</code>	<code>\#</code>	<code>§</code>	<code>\S</code>

Accents

<code>ò</code>	<code>\'o</code>	<code>ó</code>	<code>\'o</code>	<code>ô</code>	<code>\^o</code>	<code>õ</code>	<code>\~o</code>	<code>ö</code>	<code>\=o</code>
<code>ó</code>	<code>\.o</code>	<code>ö</code>	<code>\"o</code>	<code>q</code>	<code>\c o</code>	<code>õ</code>	<code>\v o</code>	<code>ô</code>	<code>\H o</code>
<code>ç</code>	<code>\c c</code>	<code>ç</code>	<code>\d o</code>	<code>ç</code>	<code>\b o</code>	<code>ö</code>	<code>\t oo</code>	<code>œ</code>	<code>\oe</code>
<code>Œ</code>	<code>\OE</code>	<code>æ</code>	<code>\ae</code>	<code>Æ</code>	<code>\AE</code>	<code>å</code>	<code>\aa</code>	<code>Å</code>	<code>\AA</code>
<code>ø</code>	<code>\o</code>	<code>Ø</code>	<code>\O</code>	<code>ı</code>	<code>\l</code>	<code>Ł</code>	<code>\L</code>	<code>ı</code>	<code>\i</code>
<code>ı</code>	<code>\j</code>	<code>ı</code>	<code>\j</code>	<code>ı</code>	<code>\j</code>	<code>ı</code>	<code>\j</code>	<code>ı</code>	<code>\i</code>

Delimiters

`'` `'` `"` `"` `“` `“` `{` `{` `[` `[` `(` `(` `<` `\textless`
`,` `,` `”` `”` `}` `}` `]` `]` `)` `)` `>` `\textgreater`

Dashes

Name	Source	Example	Usage
hyphen	-	X-ray	In words.
en-dash	--	1-5	Between numbers.
em-dash	---	Yes—or no?	Punctuation.

Line and page breaks

`\` Begin new line without new paragraph.
`*` Prohibit pagebreak after linebreak.
`\kill` Don't print current line.
`\pagebreak` Start new page.
`\noindent` Do not indent current line.

Miscellaneous

`\today` October 23, 2006.
`\sim$` Prints `~` instead of `\~`, which makes `~`.
`~` Space, disallow linebreak (W.J.~Clinton).
`\@.` Indicate that the `.` ends a sentence when following an uppercase letter.
`\hspace{l}` Horizontal space of length l (Ex: $l = 20\text{pt}$).
`\vspace{l}` Vertical space of length l .
`\rule{w}{h}` Line of width w and height h .

Tabular environments

tabbing environment

`\=` Set tab stop. `\>` Go to tab stop.
Tab stops can be set on “invisible” lines with `\kill` at the end of the line. Normally `\\` is used to separate lines.

tabular environment

```
\begin{array}[pos]{cols}
\begin{tabular}[pos]{cols}
\begin{tabular*}{width}[pos]{cols}
```

tabular column specification

`l` Left-justified column.
`c` Centered column.
`r` Right-justified column.
`p{width}` Same as `\parbox[t]{width}`.
`@{decl}` Insert *decl* instead of inter-column space.
`|` Inserts a vertical line between columns.

tabular elements

`\hline` Horizontal line between rows.
`\cline{x-y}` Horizontal line across columns *x* through *y*.
`\multicolumn{n}{cols}{text}`
A cell that spans *n* columns, with *cols* column specification.

Math mode

To use math mode, surround text with `$` or use `\begin{equation}`.

Superscript x^y $\sqrt[n]{x}$ Subscript x_y $\sum_{k=1}^n$ $\prod_{k=1}^n$

Math-mode symbols

\leq	\geq	\neq	\approx	\approx
\times	\div	\pm	\cdot	\cdot
\circ	\circ	\prime	\cdots	\cdots
∞	\neg	\wedge	\vee	\vee
\supset	\forall	\in	\rightarrow	\rightarrow
\subset	\exists	\notin	\Rightarrow	\Rightarrow
\cup	\cap	$ $	\Leftrightarrow	\Leftrightarrow
\hat{a}	\hat{a}	\bar{a}	\tilde{a}	\tilde{a}
α	β	γ	δ	δ
ϵ	ζ	η	ϵ	ϵ
θ	ι	κ	ϑ	ϑ
λ	μ	ν	ξ	ξ
π	ρ	σ	τ	τ
υ	ϕ	χ	ψ	ψ
ω	Γ	Δ	Θ	Θ
Λ	Ξ	Π	Σ	Σ
Υ	Φ	Ψ	Ω	Ω

Bibliography and citations

When using BibTeX, you need to run `latex`, `bibtex`, and `latex` twice more to resolve dependencies.

Citation types

`\cite{key}` Full author list and year. (Watson and Crick 1953)
`\citeA{key}` Full author list. (Watson and Crick)
`\citeN{key}` Full author list and year. Watson and Crick (1953)
`\shortcite{key}` Abbreviated author list and year. ?
`\shortciteA{key}` Abbreviated author list. ?
`\shortciteN{key}` Abbreviated author list and year. ?
`\citeyear{key}` Cite year only. (1953)
All the above have an NP variant without parentheses; Ex. `\citeNP`.

BibTeX entry types

`@article` Journal or magazine article.
`@book` Book with publisher.
`@booklet` Book without publisher.
`@conference` Article in conference proceedings.
`@inbook` A part of a book and/or range of pages.
`@incollection` A part of book with its own title.
`@misc` If nothing else fits.
`@phdthesis` Ph.D. thesis.
`@proceedings` Proceedings of a conference.
`@techreport` Tech report, usually numbered in series.
`@unpublished` Unpublished.

BibTeX fields

`address` Address of publisher. Not necessary for major publishers.
`author` Names of authors, of format
`booktitle` Title of book when part of it is cited.
`chapter` Chapter or section number.
`edition` Edition of a book.
`editor` Names of editors.
`institution` Sponsoring institution of tech. report.
`journal` Journal name.
`key` Used for cross ref. when no author.
`month` Month published. Use 3-letter abbreviation.
`note` Any additional information.
`number` Number of journal or magazine.
`organization` Organization that sponsors a conference.
`pages` Page range (2,6,9--12).
`publisher` Publisher's name.
`school` Name of school (for thesis).
`series` Name of series of books.
`title` Title of work.
`type` Type of tech. report, ex. “Research Note”.
`volume` Volume of a journal or book.
`year` Year of publication.
Not all fields need to be filled. See example below.

Common BibTeX style files

<code>abbrv</code>	Standard	<code>abstract</code>	alpha with abstract
<code>alpha</code>	Standard	<code>apa</code>	APA
<code>plain</code>	Standard	<code>unsrt</code>	Unsorted

The L^AT_EX document should have the following two lines just before `\end{document}`, where `bibfile.bib` is the name of the BibTeX file.

```
\bibliographystyle{plain}
\bibliography{bibfile}
```

BibTeX example

The BibTeX database goes in a file called `file.bib`, which is processed with `bibtex` file.

```
@String{N = {Na\-ture}}
@Article{WC:1953,
  author = {James Watson and Francis Crick},
  title = {A structure for Deoxyribose Nucleic Acid},
  journal = N,
  volume = {171},
  pages = {737},
  year = 1953
}
```

Sample L^AT_EX document

```
\documentclass[11pt]{article}
\usepackage{fullpage}
\title{Template}
\author{Name}
\begin{document}
\maketitle

\section{section}
\subsection*{subsection without number}
text \textbf{bold text} text. Some math:  $2+2=5$ 
\subsection{subsection}
text \emph{emphasized text} text. \cite{WC:1953}
discovered the structure of DNA.
```

A table:

```
\begin{table}[!th]
\begin{tabular}{|l|c|r|}
\hline
first & row & data \\
second & row & data \\
\hline
\end{tabular}
\caption{This is the caption}
\label{ex:table}
\end{table}
```

The table is numbered `\ref{ex:table}`.
`\end{document}`

Copyright © 2006 Winston Chang
\$Revision: 1.10 \$, \$Date: 2006/10/23 08:40:17 \$.
<http://www.stdot.org/~winston/latex/>